

Braçadeira roscada c/ reforço - parafusos aço inox A2


Clamp saddle with reinforce - screwnuts stainless steel A2

Collier de prise en charge avec renfor- visses acier inoxydable A2


Collarine de toma con refuerzo - tornillos acero inoxidable A2




02 18 2000 000




d	G	L	H	 DI x W	Paraf	PN/Bar	Gr	Quant	Nº Código
				DI x W					
16	" 1/2	61	36	13,11x2,62	2 (M6x40)	10	61	B 70	02 18 2000 092
20	" 1/2	61	36	13,11x2,62	2 (M6x40)	10	61	C 200	02 18 2000 001
20	" 3/4	65	40	13,11x2,62	2 (M6x40)	10	72	C 200	02 18 2000 094
20	1 "	76	45	13,11x2,62	2 (M6x40)	10	85	C 200	02 18 2000 095
25	" 1/2	61	36	13,87x3,53	2 (M6x40)	10	62	C 200	02 18 2000 003
25	" 3/4	61	36	13,87x3,53	2 (M6x40)	10	70	C 180	02 18 2000 004
25	1 "	76	45	13,87x3,53	2 (M6x40)	10	84	C 150	02 18 2000 097
32	" 1/2	76	45	18,64x3,53	2 (M8x60)	10	130	C 100	02 18 2000 005
32	" 3/4	76	45	18,64x3,53	2 (M8x60)	10	125	C 100	02 18 2000 006
32	1 "	76	45	18,64x3,53	2 (M8x60)	10	146	C 100	02 18 2000 007
40	" 1/2	76	55	18,64x3,53	2 (M8x60)	10	134	C 100	02 18 2000 008
40	" 3/4	76	55	18,64x3,53	2 (M8x60)	10	143	C 100	02 18 2000 009
40	1 "	76	55	18,64x3,53	2 (M8x60)	10	140	C 90	02 18 2000 010



d	G	L	H	DI x W	Paraf	PN/Bar	Gr	Quant	Nº Código
50	" 1/2	83	60	28,17x3,53	2 (M8x60)	10	150	C 80	02 18 2000 011
50	" 3/4	83	60	28,17x3,53	2 (M8x60)	10	158	C 80	02 18 2000 012
50	1 "	83	60	28,17x3,53	2 (M8x60)	10	160	C 70	02 18 2000 013
63	" 1/2	102	69	28,17x3,53	4 (M8x60)	10	255	C 50	02 18 2000 014
63	" 3/4	102	69	28,17x3,53	4 (M8x60)	10	257	C 50	02 18 2000 015
63	1 "	102	69	34,52x3,53	4 (M8x60)	10	273	C 50	02 18 2000 016
63	1" 1/4	102	69	40,87x3,53	4 (M8x60)	10	277	C 50	02 18 2000 017
63	1" 1/2	102	69	53,90x3,53	4 (M8x60)	10	299	C 45	02 18 2000 018
75	" 1/2	120	95	53,90x3,53	4 (M8x60)	10	355	C 30	02 18 2000 019
75	" 3/4	120	95	53,90x3,53	4 (M8x60)	10	358	C 30	02 18 2000 020
75	1 "	120	95	53,90x3,53	4 (M8x60)	10	368	C 30	02 18 2000 021
75	1" 1/4	120	95	53,90x3,53	4 (M8x60)	10	376	C 30	02 18 2000 022
75	1" 1/2	120	95	53,90x3,53	4 (M8x60)	10	381	C 30	02 18 2000 023
75	2"	120	95	53,90x3,53	4 (M8x60)	10	387	C 30	02 18 2000 089
90	" 1/2	132	115	53,90x3,53	6 (M8x60)	10	498	C 20	02 18 2000 024
90	" 3/4	132	115	53,90x3,53	6 (M8x60)	10	502	C 20	02 18 2000 025
90	1 "	132	115	53,90x3,53	6 (M8x60)	10	514	C 20	02 18 2000 026
90	1" 1/4	132	115	53,90x3,53	6 (M8x60)	10	523	C 20	02 18 2000 027
90	1" 1/2	132	115	53,90x3,53	6 (M8x60)	10	530	C 20	02 18 2000 028
90	2"	132	115	53,90x3,53	6 (M8x60)	10	542	C 16	02 18 2000 090



d	G	L	H		Paraf	PN/Bar	Gr	Quant	Nº Código
				DI x W					
110	" 1/2	153	129	65,09x3,53	6 (M8x60)	10	622	C 12	02 18 2000 029
110	" 3/4	153	129	65,09x3,53	6 (M8x60)	10	628	C 12	02 18 2000 030
110	1 "	153	129	65,09x3,53	6 (M8x60)	10	628	C 12	02 18 2000 031
110	1" 1/4	153	129	65,09x3,53	6 (M8x60)	10	628	C 12	02 18 2000 032
110	1" 1/2	153	129	65,09x3,53	6 (M8x60)	10	648	C 12	02 18 2000 033
110	2 "	153	129	65,09x3,53	6 (M8x60)	10	648	C 12	02 18 2000 034
125	1"	176	130	63,09x3,53	6 (M8x60)	10	675	C 12	02 18 2000 036
125	1 "1/4	176	130	63,09x3,53	6 (M8x60)	10	680	C 12	02 18 2000 037
125	1 "1/2	176	130	63,09x3,53	6 (M8x60)	10	689	C 12	02 18 2000 038
125	2 "	176	130	63,09x3,53	6 (M8x60)	10	685	C 12	02 18 2000 039
140	1 "	192	135	53,90x3,53	6 (M8x60)	10	800	C 10	02 18 2000 041
140	1" 1/4	192	135	53,90x3,53	6 (M8x60)	10	803	C 10	02 18 2000 042
140	1" 1/2	192	135	53,90x3,53	6 (M8x60)	10	803	C 10	02 18 2000 043
140	2 "	192	135	53,90x3,53	6 (M8x60)	10	825	C 10	02 18 2000 044
140	2" 1/2	192	135	71,44x3,53	6 (M8x60)	6	830	C 8	02 18 2000 045
140	3 "	192	135	71,44x3,53	6 (M8x60)	6	837	C 8	02 18 2000 046



d	G	L	H		Paraf	PN/Bar	Gr	Quant	Nº Código
DI x W									
160	1 "	212	135	53,90x3,53	6 (M8x60)	10	874	C 8	02 18 2000 048
160	1" 1/4	212	135	53,90x3,53	6 (M8x60)	10	878	C 8	02 18 2000 049
160	1" 1/2	212	135	53,90x3,53	6 (M8x60)	10	881	C 8	02 18 2000 050
160	2 "	212	135	53,90x3,53	6 (M8x60)	10	891	C 8	02 18 2000 051
160	3 "	212	135	71,44x3,53	6 (M8x60)	6	925	C 8	02 18 2000 053
200	1 "	252	140	53,90x3,53	6 (M8x60)	10	1010	C 6	02 18 2000 055
200	1" 1/4	252	140	53,90x3,53	6 (M8x60)	10	1040	C 6	02 18 2000 056
200	1" 1/2	252	140	53,90x3,53	6 (M8x60)	10	1046	C 6	02 18 2000 057
200	2 "	252	140	53,90x3,53	6 (M8x60)	10	1063	C 6	02 18 2000 058
200	3 "	252	140	71,44x3,53	6 (M8x60)	6	1110	C 4	02 18 2000 060